



## LIST OF CONTENTS

VOLUME 34, NUMBER 1

1996

*Contents*

- |                                                                                            |     |                                                                                                                                                         |
|--------------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| S. Sircar,<br>T. C. Golden and<br>M. B. Rao                                                | 1   | Activated carbon for gas separation and storage                                                                                                         |
| K. E. Robinson and<br>D. D. Edie                                                           | 13  | Microstructure and texture of pitch-based ribbon fibers for thermal management                                                                          |
| Yu. Mikhalev and<br>H. A. Øye                                                              | 37  | Absorption of metallic sodium in carbon cathode materials                                                                                               |
| J. Rodríguez-Mirasol,<br>T. Cordero and<br>J. J. Rodríguez                                 | 43  | High-temperature carbons from kraft lignin                                                                                                              |
| A. Oya,<br>S. Yoshida,<br>J. Alcaniz-Monge and<br>A. Linares-Solano                        | 53  | Preparation and properties of an antibacterial activated carbon fiber containing mesopores                                                              |
| Z. Wu,<br>C. U. Pittman Jr and<br>S. D. Gardner                                            | 59  | Grafting isocyanate-terminated elastomers onto the surfaces of carbon fibers: reaction of isocyanate with acidic surface functions                      |
| R. Setton                                                                                  | 69  | Carbon nanotubes—II. Cohesion and formation energy of cylindrical nanotubes                                                                             |
| T. Haider Usmani,<br>T. Wahab Ahmed,<br>S. Zafar Ahmed and<br>A. H. K. Yousufzai           | 77  | Preparation and characterization of activated carbon from a low rank coal                                                                               |
| S.-H. Yoon,<br>Y. Korai,<br>I. Mochida,<br>K. Yokogawa,<br>S. Fukuyama and<br>M. Yoshimura | 83  | Axial nano-scale microstructures in graphitized fibers inherited from liquid crystal mesophase pitch                                                    |
| P. P. Paul and<br>S. T. Schwab                                                             | 89  | Carbon materials obtained from organometallic modification of pitch and its oxidation resistance properties                                             |
| Yu. V. Isaev,<br>D. Guerard,<br>A. L. Blumenfeld,<br>N. D. Lenenko and<br>Yu. N. Novikov   | 97  | New biintercalation GICs. The interaction of benzene with amalgam GICs                                                                                  |
| E. McRae,<br>V. Polo,<br>R. Vangelisti and<br>M. Lelaurain                                 | 101 | Heterocomplex-based graphite lamellar compounds: $C_{22}CuAl_2Cl_{8.5}$ and $C_{10}Cd_{0.2}AlCl_{3.7}$ : intercalation pathway, structure and transport |
| H. Preiss,<br>L.-M. Berger and<br>K. Szulzewsky                                            | 109 | Thermal treatment of binary carbonaceous/zirconia gels and formation of Zr(C,O,N) solid solutions                                                       |

<b>A. J. McMillan, M. I. Darby, B. C. Jones and G. R. Evans</b>	121	Calculation of forces due to transverse impact of damped polycrystalline graphite beams
<b>M. Jayasankar, N. Agarwal, R. Chand, S. K. Gupta and D. Kunzru</b>	127	Vapor grown carbon fibers from benzene pyrolysis: filament length distributions
<b>H. F. Stoeckli, A. Laederach and J. Affolter</b>	135	<i>Letter to the Editor</i> On the characterization of industrial carbon blacks by physico-chemical and by empirical parameters
	139	Carbon News
	140	Carbon Calendar

VOLUME 34, NUMBER 2

1996

*Contents*

	v	Editorial
<b>F. P. Bundy, W. A. Bassett, M. S. Weathers, R. J. Hemley, H. K. Mao and A. F. Goncharov</b>	141	Review Article The pressure-temperature phase and transformation diagram for carbon; updated through 1994
<b>D. Nacaprigha and C. G. Taylor</b>	155	Quality control of nuclear charcoals: particle size effect and trapping mechanism
<b>W. Xu, T. W. Zerda, H. Yang and M. Gerspacher</b>	165	Surface fractal dimension of graphitized carbon black particles
<b>Z. Zhen-Ping and G. Yong-Da</b>	173	Structure of carbon caps and formation of fullerenes
<b>K. Kusakabe, B.-K. Sea, J.-I. Hayashi, H. Maeda and S. Morooka</b>	179	Coating of carbon fibers with amorphous SiC films as diffusion barriers by chemical vapor deposition with triisopropylsilane
<b>K. Murakami, M. Okumura, M. Yamamoto and Y. Sanada</b>	187	Structural analysis of mesophase pitch with high-resolution, high temperature $^{13}\text{C}$ -NMR
<b>Y. Liu, J. S. Xue, T. Zheng and J. R. Dahn</b>	193	Mechanism of lithium insertion in hard carbons prepared by pyrolysis of epoxy resins
<b>H. Hatori, Y. Yamada, M. Shiraishi, M. Yoshihara and T. Kimura</b>	201	The mechanism of polyimide pyrolysis in the early stage

<b>W.-C. Oh, S.-J. Cho and Y.-S. Ko</b>	209	The stability of potassium-graphite deintercalation compounds
<b>K. Horita, Y. Nishibori and T. Ohshima</b>	217	Surface modification of carbon black by anodic oxidation and electrochemical characterization
<b>A. B. Fuertes, G. Marban and J. Muñiz</b>	223	Modelling the gasification of carbon fibres
<b>J. M. Jones, R. P. Malcolm, K. M. Thomas and S. H. Bottrell</b>	231	The anode deposit formed during the carbon-arc evaporation of graphite for the synthesis of fullerenes and carbon nanotubes
<b>C. Ahearn and B. Rand</b>	239	Modification of the fibre-matrix bonding in a brittle carbon-carbon composite by controlled oxidation
<b>K. Mukhopadhyay, K. M. Krishna and M. Sharon</b>	251	Semiconducting camphoric carbon tubules
<b>T. Cheung, M. Turpin and B. Rand</b>	265	Controlled stress, oscillatory rheometry of mesophase-pitches
<i>Letters to the Editor</i>		
<b>J. Hayashi, K. Matsuzaki, T. Hiraumi and K. Muroyama</b>	273	Production of molecular sieving carbon from phenol-formaldehyde resin by an ester-carbonization method
<b>T. G. Harvey and G. W. West</b>	275	Determination of mesophase content in blends of mesophase and isotropic pitches by $^1\text{H}$ NMR
<b>N. Ikemiya, E. Shimazu, S. Hara, H. Shioyama and Y. Sawada</b>	277	Atomic force microscopy and scanning tunneling microscopy studies of $\text{AlCl}_3$ -graphite intercalation compound
<b>K. Esumi, M. Ishigami, A. Nakajima, K. Sawada and H. Honda</b>	279	Chemical treatment of carbon nanotubes
	283	TANSO No. 168—Abstracts
	285	Carbon News
	287	Carbon Calendar

*Contents*

	v	Editorial
<b>S. Motojima, S. Asakura, T. Kasemura, S. Takeuchi and H. Iwanaga</b>	289	Catalytic effects of metal carbides, oxides and Ni single crystal on the vapor growth of the micro-coiled carbon fibers

<b>T. D. Burchell</b>	297	A microstructurally based fracture model from polygranular graphites
<b>H. Richter, A. Fonseca, J.-M. Gilles, J. B. Nagy, P. A. Thiry, R. Rozenberg, E. de Hoffmann and H. Pasch</b>	317	Effect of HBr, HCl and Cl <sub>2</sub> on fullerene formation in benzene/oxygen/argon flames
<b>B. Singh, S. Madhusudhanan, V. Dubey, R. Nath and N. B. S. N. Rao</b>	327	Active carbon for removal of toxic chemicals from contaminated water
<b>D. Begin, E. Alain, G. Furdin, J. F. Mareche, P. Delcroix and G. Le Caer</b>	331	Carbonization of mixtures of coal tar pitch and graphite FeCl <sub>3</sub> compounds: A Mössbauer study
<b>C. Marquez-Alvarez, I. Rodriguez-Ramos and A. Guerrero- Ruiz</b>	339	Removal of NO over carbon-supported copper catalysts. I. Reactivity of NO with graphite and activated carbon
<b>S. Vaidyaraman, W. J. Lackey, P. K. Agrawal and M. A. Miller</b>	347	Carbon/carbon processing by forced flow-thermal gradient chemical vapor infiltration using propylene
<b>L. Láská, J. Krása, L. Juha, V. Hamplová and L. Soukup</b>	363	Fullerene production driven by long-pulses of near-infrared laser radiation
<b>J. L. Eilertsen, S. Rørvik, T. Foosns and H. A. Øye</b>	375	An automatic image analysis of coke texture
<b>J. W. Cao and M. Sakai</b>	387	The crack-face fiber bridging of a 2D-C/C-composite
<b>M. Nakahara, S. Ohnuki, H. Takahashi and Y. Sanada</b>	397	Effects of Ar-ion implantation on the surface structure of pyrolytic graphite
<b>Z. Kowalczyk, J. Sentek, S. Jodzis, R. Diduszko, A. Presz, A. Terzyk, Z. Kucharski and J. Suwalski</b>	403	Thermally modified active carbon as a support for catalysts for NH <sub>3</sub> synthesis



- Yu. V. Pokonova** 411 Production of carbon adsorbents from brown coal
- H. J. Jeong,**  
**H. D. Park,**  
**J. D. Lee and**  
**J. O. Park** 417 Densification of carbon/carbon composites by pulse chemical vapor infiltration

*Letters to the Editor*

- A. López-Delgado,**  
**C. Perez and**  
**F. A. López** 423 The influence of carbon content of blast furnace sludges and coke on the adsorption of lead ions from aqueous solutions
- H. Richter,**  
**K. Hernadi,**  
**R. Caudano,**  
**A. Fonseca,**  
**H.-N. Migeon,**  
**J. B. Nagy,**  
**S. Schneider,**  
**J. Vandooren and**  
**P. J. Van Tiggelen** 427 Formation of nanotubes in low pressure hydrocarbon flames
- H. Jin,**  
**S.-E. Park,**  
**J. M. Lee and**  
**S. K. Ryu** 429 The shape-selectivity of activated carbon fibers as a palladium catalyst support
- 433 Tanso abstracts
- 435 Carbon News
- 437 Carbon Calendar

VOLUME 34, NUMBER 4

1996

*Contents*

- A. A. Malik,**  
**P. R. Meddings,**  
**A. Patel and**  
**K. M. Thomas** 439 Competitive effects in the adsorption of  $\text{CH}_3\text{I}$  on KI-impregnated activated carbons in the presence of  $\text{CO}_2$
- A. Marcilla,**  
**M. Asensio and**  
**I. Martín-Gullón** 449 Influence of the carbonization heating rate on the physical properties of activated carbons for a sub-bituminous coal
- M. Molina-Sabio,**  
**F. Rodríguez-Reinoso,**  
**F. Caturla and**  
**M. J. Sellés** 457 Development of porosity in combined phosphoric acid-carbon dioxide activation
- Y. Murakami,**  
**K. Esumi and**  
**H. Honda** 463 Preparation and characterization of an electrocatalytic electrode using amphiphilic carbonaceous material containing metal compound
- A. Ahmadpour and**  
**D. D. Do** 471 The preparation of active carbons from coal by chemical and physical activation

<b>A. Seron, H. Benaddi, F. Beguin, E. Frackowiak, J. L. Bretelle, M. C. Thiry, T. J. Bandosz, J. Jagiello and J. A. Schwarz</b>	481	Sorption and desorption of lithium ions from activated carbons
<b>B. K. Yen and T. Ishihara</b>	489	An investigation of friction and wear mechanisms of carbon-carbon composites in nitrogen and air at elevated temperatures
<b>A. Gibaud, J. S. Xue and J. R. Dahn</b>	499	A small angle X-ray scattering study of carbons made from pyrolyzed sugar
<b>M. Molina-Sabio, M. T. González, F. Rodríguez-Reinoso and A. Sepúlveda-Escribano</b>	505	Effect of steam and carbon dioxide activation in the micropore size distribution of activated carbon
<b>F. Salvador and C. Sánchez Jiménez</b>	511	A new method for regenerating activated carbon by thermal desorption with liquid water under subcritical conditions
<b>C. Hérold, J.-F. Maréché and P. Lagrange</b>	517	Comparison of the oxidizing ability of graphite and fullerite
<b>Q. Zhu, K. A. Grant and K. M. Thomas</b>	523	The effect of Fe catalyst on the release of NO during the combustion of anisotropic and isotropic carbons
<b>V. Gomez-Serrano, J. Pastor-Villegas, C. J. Duran-Valle and C. Valenzuela-Calahorra</b>	533	Heat treatment of rockrose char in air. Effect on surface chemistry and porous texture
<b>S. Eser</b>	539	Mesophase and pyrolytic carbon formation in aircraft fuel lines
	549	Carbon Calendar

*Contents*

<b>J. A. Newell and D. D. Edie</b>	551	Factors limiting the tensile strength of PBO-based carbon fibers
<b>L. A. Beltz and R. R. Gustafson</b>	561	Cyclization kinetics of poly(acrylonitrile)
<b>R. Moene, H. Th. Boon, J. Schoonman, M. Makkee and J. A. Moulijn</b>	567	Coating of activated carbon with silicon carbide by chemical vapour deposition

I. W. C. E. Arends, W. R. Ophorst, R. Louw and P. Mulder	581	Gas phase hydrogenolysis mediated by activated carbon: monosubstituted benzenes
T. Teranishi, K. Takeda, Y. Yamazaki and M. Miyake	589	Electroless metal plating on carbonaceous mesophase spherules
R. Hu and T. C. Chung	595	Poly(acrylonitrile-co-vinylcatecholborane); a new precursor for carbon containing B/C, B/N and B/O species
I. Mochida, K. H. An, K. Sakanishi and Y. Korai	601	Preparation of nitrogen-rich pitches from diazanaphthalenes using $AlCl_3$
S. Vaidyaraman, W. J. Lackey and P. K. Agrawal	609	Carbon/carbon processing by forced flow-thermal gradient chemical vapor infiltration (FCVI) using propane
E. Alain, D. Begin, G. Furdin and J. F. Mareche	619	Effect of graphite or $FeCl_3$ -graphite intercalation compounds on the mesophase development in coal tar pitch
D. Heymann	627	Solubility of $C_{60}$ in alcohols and alkanes
B. Sahouli, S. Blacher, F. Brouers, R. Sobry, G. Van Den Bossche, B. Diez, H. Darmstadt, C. Roy and S. Kaliaguine	633	Surface morphology of commercial carbon blacks and carbon blacks from pyrolysis of used tyres by small-angle X-ray scattering
P. D. Matzinos, J. W. Patrick and A. Walker	639	Coal-tar pitch as a matrix precursor for 2-D C/C composites
S. R. Mukai, T. Masuda, T. Harada and K. Hashimoto	645	Dominant hydrocarbon which contributes to the growth of vapor grown carbon fibers
X. Liao and H. A. Øye	649	Method for determination of abrasion resistance of carbon cathode materials at room temperature
P. M. Khandare, J. W. Zondlo and A. S. Pavlovic	663	The measurement of the glass transition temperature of mesophase pitches using a thermomechanical device
<i>Letters to the Editor</i>		
L. B. Ebert	671	The interrelationship of hydrogen-containing carbon and lithium
Y. Matsuo, K. Tahara and Y. Sugie	672	Synthesis of poly(ethylene oxide)-intercalated graphite oxide

<b>N. Cohaut, J. M. Guet and R. Diduszko</b>	674	SAXS investigations on the porosity of pitch based carbon fibres
<b>H. A. Yu, T. Kaneko, S. Yoshimura and S. Otani</b>	676	A turbostratic carbon with high specific surface area from 1,4-benzenedimethanol
<b>J. L. Figueiredo, J. G. R. Poço, O. Thomaz, W. Aldeia, V. Di Giorgi and R. G. Sakamoto</b>	679	Evaluation of the efficiency of activation in the production of carbon adsorbents
<b>E. Alain, D. Begin, G. Furdin and J. F. Mareche</b>	682	SEM observations of mesophase spherule formation during the pyrolysis of coal tar pitch in the presence of FeCl <sub>3</sub> -graphite
<b>R. L. Hettich and P. R. Buseck</b>	685	Concerning fullerenes in shungite
	689	Tanso Abstracts
	693	Carbon News
	697	Carbon Calendar

*Contents*

<b>E. A. Heintz</b>	699	Review Article The characterization of petroleum coke
<b>Y. Kawabuchi, S. Kawano and I. Mochida</b>	711	Molecular sieving selectivity of active carbons and active carbon fibers improved by chemical vapour deposition of benzene
<b>M. C. Román-Martínez, D. Cazorla-Amorós, A. Linares-Solano, C. Salinas-Martínez De Lecea and F. Atamny</b>	719	Structural study of a phenolformaldehyde char
<b>M.-L. Hsu, D. M. Grant, R. J. Pugmire, Y. Korai, S. H. Yoon and I. Mochida</b>	729	A two-dimensional <sup>13</sup> C-NMR study of powdered and oriented mesophase pitches
<b>H. Tamon and M. Okazaki</b>	741	Influence of acidic surface oxides of activated carbon on gas adsorption characteristics
<b>W. A. Wampler, S. Basak and K. Rajeshwar</b>	747	Composites of polypyrrole and carbon black: 4. Use in environmental pollution abatement of hexavalent chromium



<b>D. Mehandjiev, M. Khristova and E. Bekyarova</b>	<b>757</b>	<b>Conversion of NO on Co-impregnated active carbon catalysts</b>
<b>M. Yudasaka, R. Kikuchi, T. Matsui, Y. Ohki E. Ota and S. Yoshimura</b>	<b>763</b>	<b>Graphite film formation by chemical vapor deposition on Ni coated sapphire</b>
<b>LJ. V. Rajaković and M. DJ. Ristić</b>	<b>769</b>	<b>Sorption of boric acid and borax by activated carbon impregnated with various compounds</b>
<b>A. CH. Mitropoulos, J. M. Haynes, R. M. Richardson, T. A. Steriotis, A. K. Stubos and N. K. Kanellopoulos</b>	<b>775</b>	<b>Water adsorption and small angle X-ray scattering studies on the effect of coal thermal treatment</b>
<b>J. B. Parra, J. J. Pis, J. C. De Sousa, J. A. Pajares and R. C. Bansal</b>	<b>783</b>	<b>Effect of coal preoxidation on the development of microporosity in activated carbons</b>
<b>J. H. Fisher, L. R. Holland, G. M. Jenkins and H. Maleki</b>	<b>789</b>	<b>A new process for the production of long glassy polymeric carbon hollow ware with uniform wall thickness using a spray technique</b>
<b>H. Richter, E. De Hoffmann, R. Doome, A. Fonseca, J.-M. Gilles, J. B. Nagy, P. A. Thiry, J. Vandooren and P. J. Van Tiggelen</b>	<b>797</b>	<b>Fullerene formation in acetylene/oxygen/argon/chlorine flames</b>
<i>Letters to the Editor</i>		
<b>S. Eser and L. Hou</b>	<b>805</b>	<b>3-D <sup>1</sup>H NMR imaging of porosity in calcined needle cokes</b>
<b>S. K. Ryu, K. R. Ko, D. Gondy and P. Ehrburger</b>	<b>808</b>	<b>External and internal gasification of pitch-based carbon fibers</b>
<b>Xiaoping Shui and D. D. L. Chung</b>	<b>811</b>	<b>High-strength high-surface-area porous carbon made from submicron-diameter carbon filaments</b>
<b>K. L. Lu, R. M. Lago, Y. K. Chen, M. L. H. Green P. J. F. Harris and S. C. Tsang</b>	<b>814</b>	<b>Mechanical damage of carbon nanotubes by ultrasound</b>
<b>P. E. Nolan, D. C. Lynch and A. H. Cutler</b>	<b>817</b>	<b>Graphite encapsulation of catalytic metal nanoparticles</b>
<b>W. Kowbel, V. Chellapa and J. C. Withers</b>	<b>819</b>	<b>Properties of C/C composites produced in one low cost manufacturing step</b>
<b>F. Goutfer-Wurmser, C. Hérold and P. Lagrange</b>	<b>821</b>	<b>Intercalation of sulphur with potassium into graphite</b>

<b>J. E. Atwater and J. T. Holtsnider</b>	824	Simple models for the breakthrough of humidified acetone and ethyl acetate on a carbon based molecular sieve
<b>M. Lopez, M. Labady and J. Laine</b>	825	Preparation of activated carbon from wood monolith
<b>F. Ehrburger-Dolle</b>	828	On the physical meaning of industrial tests for carbon blacks
	833	Carbon News
	839	Carbon Calendar

## VOLUME 34, NUMBER 7

1996

*Contents*

<b>L. M. Manocha, H. Bhatt and S. M. Manocha</b>	841	Development of carbon/carbon composites by co-carbonization of phenolic resin and oxidised PAN fibers
<b>P. Mocho, J. Ch. Bourhis and P. Le Cloirec</b>	851	Heating activated carbon by electromagnetic induction
<b>M. A. Gardner, J. C. Dore, A. N. North, D. Cazorla-Amoros, C. Salinas-Martinez de Lecea and M.-C. Bellissent-Funel</b>	857	Structural studies of microporous carbons by neutron diffraction
<b>D. Cho, H. S. Ha, Y. S. Lim, B. I. Yoon and K. S. Kim</b>	861	Microstructural evidence for the thermal oxidation protection of carbon/phenolic towpregs and composites
<b>D. Cazorla-Amorós, D. Ribes-Pérez, M. C. Román-Martínez and A. Linares-Solano</b>	869	Selective porosity development by calcium-catalyzed carbon gasification
<b>K. Gergova and S. Eser</b>	879	Effects of activation method on the pore structure of activated carbons from apricot stones
<b>F. Kang, Y. Leng and T.-Y. Zhang</b>	889	Electrochemical synthesis of graphite intercalation compounds in $\text{ZnCl}_2$ aqueous solutions
<b>R. Menéndez, J. J. Fernández, J. Bermejo, V. Cebolla, I. Mochida and Y. Korai</b>	895	The role of carbon black/coal-tar pitch interactions in the early stage of carbonization
<b>P. Albers, G. Prescher, K. Seibold, D. K. Ross and F. Fillaux</b>	903	Inelastic neutron scattering study of proton dynamics in carbon blacks

<b>T. Suzuki, K. Kaneko, N. Setoyama, M. Maddox and K. Gubbins</b>	909	Grand canonical Monte Carlo simulation for nitrogen adsorption in graphitic slit micropores: effect of interlayer distance
<b>R. Dziembaj, W. Makowski and L. Chmielarz</b>	913	Synergistic effects in the transition metal catalysed hydrogenation of commercial graphites promoted by $\text{Ca}(\text{NO}_3)_2$ and pretreated with $\text{O}_2$ or $\text{CO}_2$
<b>J. Rivera-Utrilla, M. V. López-Ramón, F. Carrasco-Marín, F. J. Maldonado-Hódar and C. Moreno-Castilla</b>	917	Demineralization of a bituminous coal by froth flotation before obtaining activated carbons
<b>M. Trinqucoste, J. L. Carlier, A. Derré, P. Delhaès and P. Chadeyron</b>	923	High temperature thermal and mechanical properties of high tensile carbon single/filaments
<b>E. Alain, D. Begin, G. Furdin and J. F. Mareche</b>	931	Effect of graphite or $\text{FeCl}_3$ -graphite intercalation compounds on the mesophase development in coal tar pitch

VOLUME 34, NUMBER 8

1996

*Contents*

<b>I. Mochida, S.-H. Yoon, N. Takano, F. Fortin, Y. Korai and K. Yokogawa</b>	941	Microstructure of mesophase pitch-based carbon fiber and its control
<b>W. Benzinger, A. Becker and K. J. Hüttinger</b>	957	Chemistry and kinetics of chemical vapour deposition of pyrocarbon: I. Fundamentals of kinetics and chemical reaction engineering
<b>S. Ishiyama and M. Eto</b>	967	Effect of stress history on cumulative fatigue damage of fine-grained isotropic GCR graphite
<b>S. S. Barton, M. J. B. Evans, S. Liang and J. A. F. MacDonald</b>	975	The influence of surface modification of BPL carbons on aging
<b>U. Zielke, K. J. Hüttinger and W. P. Hoffman</b>	983	Surface-oxidized carbon fibers: I. Surface structure and chemistry
<b>U. Zielke, K. J. Hüttinger and W. P. Hoffman</b>	999	Surface-oxidized carbon fibers: II. Chemical modification
<b>U. Zielke, K. J. Hüttinger and W. P. Hoffman</b>	1007	Surface-oxidized carbon fibers: III. Characterization of carbon fiber surfaces by the work of adhesion/pH diagram

<b>U. Zielke, K. J. Hüttinger and W. P. Hoffman</b>	1015	Surface-oxidized carbon fibers: IV. Interaction with high-temperature thermoplastics
<b>Y. Kong and C. Y. Cha</b>	1027	NO <sub>x</sub> adsorption on char in presence of oxygen and moisture
<b>Y. Kong and C. Y. Cha</b>	1034	Reduction of NO <sub>x</sub> adsorbed on char with microwave energy

*Contents*

<b>H. Vincent, C. Vincent, M. P. Berthet, J. Bouix and G. Gonzalez</b>	1041	Boron carbide formation from BCl <sub>3</sub> -CH <sub>4</sub> -H <sub>2</sub> mixtures on carbon substrates and in a carbon-fibre reinforced Al composite
<b>V. Liedtke and K. J. Hüttinger</b>	1057	Mesophase pitches as matrix precursor of carbon fiber reinforced carbon: I. Mesophase pitch preparation and characterization
<b>V. Liedtke and K. J. Hüttinger</b>	1067	Mesophase pitches as matrix precursor of carbon fiber reinforced carbon: II. Stabilization of mesophase pitch matrix by oxygen treatment
<b>V. Liedtke and K. J. Hüttinger</b>	1081	Mesophase pitches as matrix precursor of carbon fiber reinforced carbon: III. Mechanical properties of composites after carbonization and graphitization treatment
<b>T. Takada, M. Nakahara, H. Kumagai and Y. Sanada</b>	1087	Surface modification and characterization of carbon black with oxygen plasma
<b>M. R. Alexander and F. R. Jones</b>	1093	Effect of electrolytic oxidation upon the surface chemistry of type A carbon fibres: III. Chemical state, source and location of surface nitrogen
<b>J. A. F. MacDonald and D. F. Quinn</b>	1103	Adsorbents for methane storage made by phosphoric acid activation of peach pits
<b>D. Pan, M. Jaroniec and J. Klinik</b>	1109	Thermogravimetric evaluation of the specific surface area and total porosity of microporous carbons
<b>H. Fujimoto, A. Mabuchi, K. Tokumitsu and T. Kasuh</b>	1115	The estimation of the rotational misorientation by the projected probability function of a displacement of carbon layer planes
<b>A. Lundin, A. Soldatov, B. Sundqvist, R. M. Strongin, L. Brard, J. E. Fischer and A. B. Smith III</b>	1119	Compressibility of C <sub>61</sub> D <sub>2</sub> up to 1 GPa in the temperature range 175–345 K



S. Vaidyaraman, W. J. Lackey, P. K. Agrawal and T. L. Starr	1123	1-D model for forced flow-thermal gradient chemical vapor infiltration process for carbon/carbon composites
S. Jacques, A. Guette, X. Bourrat, F. Langlais, C. Guimon and C. Labrugere	1135	LPCVD and characterization of boron-containing pyrocarbon materials
<i>Letters to the Editor</i>		
X. Q. Lu, D. R. Smith, D. W. Johnson, H. R. Rose and M. A. Wilson	1145	Formation of fullerenes from humic substances: an investigation by laser ablation Fourier transform ion cyclotron resonance mass spectroscopy
M. Kodama and H. Honda	1148	Electrophoretic deposition of ultrafine pitch particles
D. Cho	1151	Protective behavior of thermal oxidation in oxidized PAN fibers coated with phosphoric acid
T. Sogabe, K. Kuroda and T. Oku	1154	Effect of the Ti-addition on gas permeability of the Cu-impregnated high-density isotropic graphite
Y. Korai, Y.-G. Wang, S.-H. Yoon, S. Ishida, I. Mochida, Y. Nakagawa and Y. Matsumura	1156	Preparation of meso-carbon microbeads with uniform diameter for AR-isotropic pitch in the presence of carbon black
T. Abe, Y. Mizutani, M. Asano, T. Harada, M. Kawase, S.-I. Tanaka and M. Kamada	1160	Carbon K edge XANES spectra of stage 2FeCl <sub>3</sub> -graphite intercalation compound
<i>Erratum</i>		
X. Shui and D. D. L. Chung	1162	High-strength high-surface-area porous carbon made from submicron-diameter carbon filaments
	1163	Tanso Abstracts
	1167	Carbon News
	1173	Carbon Calendar

*Contents*

	v	Editorial
C.-C. M. Ma, N.-H. Tai, W.-C. Chang and Y.-P. Tsai	1175	Morphologies, microstructure and mechanical properties of 2D carbon/carbon composites during the CVI densification process

<b>R. Hu and T. C. Chung</b>	1181	Synthesis and characterization of novel B/C materials prepared by 9-chloroborabfluorene precursor
<b>M. A. Daley, D. Tandon, J. Economy and E. J. Hippo</b>	1191	Elucidating the porous structure of activated carbon fibers using direct and indirect methods
<b>F. Stoeckli, T. A. Centeno, A. B. Fuertes and J. Muñiz</b>	1201	Porous structure of polyarylamide-based activated carbon fibres
<b>M. Milković and D. Ban</b>	1207	Influence of the pulsating current amplitude on the dynamic friction coefficient of electrographite brushes
<b>R. B. Mathur, O. P. Bahl, A. Kannan, S. Flandrois, A. Marchand and V. Gupta</b>	1215	<i>In situ</i> electrical resistivity changes during bromine intercalation in carbon fibers
<b>S. D. Gardner, G. He and C. U. Pittman, Jr</b>	1221	A spectroscopic examination of carbon fiber cross sections using XPS and ISS
<b>M. Shioya, M. Nakatani, H. Kitano, A. Takaku, Y. Araki, Y. Takahashi and T. Suzuki</b>	1229	Structure of carbon films derived from polycarbodiimide
<b>A. Cuesta, M. Jamond, A. Martínez-Alonso and J. M. D. Tascón</b>	1239	Thermal behavior of fullerenes in different gas atmospheres
<b>K. Hernadi, A. Fonseca, J. B. Nagy, D. Bernaerts and A. A. Lucas</b>	1249	Fe-catalyzed carbon nanotube formation
<b>V. Suresh Babu and M. S. Seehra</b>	1259	Modeling of disorder and X-ray diffraction in coal-based graphitic carbons
<b>A. Weston and M. Murthy</b>	1267	Synthesis of fullerenes: an effort to optimize process parameters
<b>R. K. Harris, T. V. Thompson, P. Forshaw, N. Foley, K. M. Thomas, P. R. Norman and C. Pottage</b>	1275	A magic-angle spinning NMR study into the adsorption of deuterated water by activated carbon
<b>N. Quirke and S. R. R. Tennison</b>	1281	The interpretation of pore size distributions of microporous carbons

<b>Y. Maniwa, M. Sato, K. Kume, M. E. Kozlov and M. Tokumoto</b>	1287	Comparative NMR study of new carbon forms
<i>Letters to the Editor</i>		
<b>X. Luo and D. D. L. Chung</b>	1293	Electromagnetic interference shielding reaching 130 dB using flexible graphite
<b>N. Lin, J. Ding, S. Yang and N. Cue</b>	1295	Scanning tunneling microscopy and spectroscopy of a carbon nanotube
<b>P. L. Walker, Jr</b>	1297	Production of activated carbons: use of CO <sub>2</sub> versus H <sub>2</sub> O as activating agent
<b>W. J. Lackey</b>	1299	Liquid fluidized bed coating process
<b>V. Z. Mordkovich, M. Baxendale, S. Yoshimura and R. P. H. Chang</b>	1301	Intercalation into carbon nanotubes
	1305	Carbon News
	1313	Carbon Calendar

VOLUME 34, NUMBER 11

1996

*Contents*

	v	Editorial
<b>J. J. McHugh and D. D. Edie</b>	1315	The orientation of mesophase pitch during fully developed channel flow
<b>T. R. Anthony, J. C. Bradley, P. J. Horoyski and M. L. W. Thewalt</b>	1323	Graphite rod precursors for isotopically pure fullerenes and diamond
<b>A. Albiniaik, G. Furdin, D. Begin, J. F. Mareche, J. Kaczmarczyk and E. Broniek</b>	1329	Exfoliation and textural modification of anthracites
<b>K. A. Sosin, D. F. Quinn and J. A. F. MacDonald</b>	1335	Changes in PSD of progressively activated carbons obtained from their supercritical methane isotherms
<b>P. Glogar, L. M. Manocha and P. Fott</b>	1343	Studies on the influence of secondary heat treatment on structure and properties of unidirectional carbon/carbon and carbon/furfural-siloxane composites
<b>J. S. Field and M. V. Swain</b>	1357	The indentation characterisation of the mechanical properties of various carbon materials: glassy carbon, coke and pyrolytic graphite
<b>T. Eichner, M. Braun and K. J. Hüttinger</b>	1367	Element-substituted polyaromatic mesophases: I. Boron-substitution with the pyridine-borane complex

<b>S. K. Bhatia and B. J. Vartak</b>	1383	Reaction of microporous solids: the discrete random pore model
<b>S. Błażewicz, J. Błocki, J. Chłopek, J. Godlewski, J. Michałowski, K. Pakoński, J. Piekarczyk and M. Stodulski</b>	1393	Thin C/C composite shells for high energy physics: manufacture and properties
<b>M. Prasad, B. S. Akkimaradi, S. C. Rastogi, R. R. Rao and K. Srinivasan</b>	1401	Adsorption characteristics of the charcoal–nitrogen system at 79–320 K and pressures to 5 MPa
<b>S. K. Sharma, F. J. Vastola and P. L. Walker, Jr</b>	1407	Reduction of nickel oxide by carbon: I. Interaction between nickel oxide and pyrolytic graphite
<b>J. B. Donnet, T. K. Wang and Z. M. Shen</b>	1413	Atomic scale STM study of pitch-based carbon fibers: influence of mesophase content and heat treatment temperature
<b>C. Toles, S. Rimmer and J. C. Hower</b>	1419	Production of activated carbons from a Washington lignite using phosphoric acid activation
<b>A. Gupta and I. R. Harrison</b>	1427	New aspects in the oxidative stabilization of PAN-based carbon fibers
<i>Letters to the Editor</i>		
<b>M. Z. Hussein, R. S. H. Tarmizi, Z. Zainal, R. Ibrahim and M. Badri</b>	1447	Preparation and characterization of active carbons from oil palm shells
<b>A. Takaku, M. Shioya and T. Manganzi</b>	1449	The application of temperature-time superposition to the study of structural development in the heat-treatment of carbon fibers
<b>Ph. Serp and J. L. Figueiredo</b>	1452	A microstructural investigation of vapor-grown carbon fibers
	1455	TANSO Abstracts: Nos 171 and 173
	1459	Carbon News
	1461	Carbon Calendar

*Contents*

<b>W. Benzinger and K. J. Hüttinger</b>	1465	Chemical vapour infiltration of pyrocarbon: I. Some kinetic considerations
<b>M. Braun and K. J. Hüttinger</b>	1473	Sintering of powders of polyaromatic mesophase to high-strength isotropic carbons: III. Powders based on an iron-catalyzed mesophase synthesis



<b>P. Ehrburger, E. Sanseigne and B. Tahon</b>	1493	Formation of porosity and change in binder pitch properties during thermal treatment of green carbon materials
<b>T. Zheng, W. Xing and J. R. Dahn</b>	1501	Carbons prepared from coals for anodes of lithium-ion cells
<b>C. Márquez-Alvarez, I. Rodríguez-Ramos and A. Guerrero-Ruiz</b>	1509	Removal of NO over carbon supported copper catalysts: II. Evaluation of catalytic properties under different reaction conditions
<b>I. Martín-Gullón, M. Asensio, R. Font and A. Marcilla</b>	1515	Steam-activated carbons from a bituminous coal in a continuous multistage fluidized bed pilot plant
<b>E. Papirer, R. Lacroix and J.-B. Donnet</b>	1521	Chemical modifications and surface properties of carbon blacks
<b>A. Marcilla-Gomis, A. N. García-Cortés and J. M. Martín-Martínez</b>	1531	A new approach to quantify the microporosity of activated carbons by analysing the N <sub>2</sub> /77 K and CO <sub>2</sub> /273 K adsorption data by the simplex flexible method
<b>E. M. Zippi and G. W. Kabalka</b>	1539	Synthesis characterization and pyrolysis of poly(styrene/divinylbenzene) derivatives
<b>F. Salvador and M. D. Merchán</b>	1543	Study of the desorption of phenol and phenolic compounds from activated carbon by liquid-phase temperature-programmed desorption
<b>J. Ozaki, N. Suzuki and Y. Nishiyama</b>	1553	Chemical structures and photoelectric properties of carbonaceous materials prepared by solvent-extraction of petroleum pitch
<b>K. Putyera, T. J. Bandosz, J. Jagieo and J. A. Schwarz</b>	1559	Effect of template constraints on adsorption properties of synthetic carbons prepared within the gallery of layered double hydroxides
<b>Y. Korai, S. Ishida, S.-H. Yoon, Y.-G. Wang I. Mochida, Y. Nakagawa, Y. Matsumura, Y. Sakai and M. Komatu</b>	1569	Efficient preparation of meso-carbon microbeads from synthetic isotropic pitch derived from naphthalene
<b>J. S. Dusenbury and F. S. Cannon</b>	1577	Advanced oxidant reactivity pertaining to granular activated carbon beds for air pollution control
<b>R. Hagiwara, M. Ito and Y. Ito</b>	1591	Graphite intercalation compounds of lanthanide metals prepared in molten chlorides
<b>T. Nakajima, Y. Matsuo, B. Žemva and A. Jesih</b>	1595	Synthesis of fluorine-graphite intercalation compounds by elemental fluorine and high oxidation-state transition-metal fluorides

*Letters to the Editor*

<b>Xiling Chen, Kemin Song, Jihui Li and Jinpeng Liu</b>	1599	Preparation of lower-sulfur content and expandable graphite
<b>K. Yamada, G. Burkhard, T. Tanabe and A. B. Sawaoka</b>	1601	An in-situ observation of amorphization of carbyne particle under electron-beam irradiation
<b>P. L. Walker, Jr</b>	1603	Complications introduced from gasification-induced densification of disordered carbons
	1605	Carbon News
	1607	Carbon Calendar

